	T	आर्थिक प्रस्तावन			
.N.	Name of Implements With Description	Technical Specification	Specification of proposed item	Price (Rs.)	Price( In words)
	MINI TILLER				
	Make, Model and Brand	any			1
ž	Country of manufacturer	any	`		
		Electric/Recoil start, Single cylinder, 4-stroke diesel engine			
	Engine	gear T.S.			
		Power output 7HP			
	Tilling depth	minimum 100mm	,		
	No. of Gears	1,2,0,-1			
	Tilling width	Around 750 mm			
1	Number of rotary tiller blades	minimum 24	,		20
	Cooling system	forced air -cooled			
	Fuel Tank Capacity	Minimum 3.5 Liters			
	tyre size	4*8			8
	Starting method	Manual			NOTICE WITH BELLED DRIVE CO.
	Certification	Respective country verified certification			
					Africa Training Control
	Color	Standard		A A A COUNTY OF THE PARTY OF THE	et eeu in meert na aan ee eeu een tagene
	Accessories	Toolbox	era		2
	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
	MINI TILLER				
	Make, Model and Brand	any	# * * * * * * * * * * * * * * * * * * *	,	
	Country of manufacturer	any	- 10 O - 1 O SE		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Electric/Recoil start ,Single cylinder, 4-stroke petrol engine			
	Engine	gear T.S.			
ź.	per exercises and a second sec	Power output 7HP	makes grant account of the account		
	Tilling depth	minimum 100mm			
	No. of Gears	1,2,0,-1	ALTERNATION OF THE REAL PROPERTY OF THE PROPERTY OF		
_	Tilling width	Around 750 mm	**************************************		ē .
2	Number of rotary tiller blades	minimum 24	AND THE CONTRACT OF THE PARTY OF		
	Cooling system	forced air -cooled	To the end when the end of the transfer with the one		
	Fuel Tank Capacity	Minimum 3.5 Liters	The second management of the second s		
	tyre size	4*8-	s to the College of t		
	Starting method	Manual	ORF 3 - 31 (1842) - 36 (000) - 100 - 1 - 10		
. •	Certification	Respective country verified certification			
	Color	Standard Standard	W-M · · · · · · · · · · · · · · · · · · ·		£ > 1 > 1 - 1
	Accessories	Toolbox			
	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			Λ

		आर्थिक प्रस्तावन	Π		
5.N.	Name of Implements With Description	Technical Specification	Specification of proposed item	Price (Rs.)	Price( In words
	Power Tiller	The first terms of the second	rent en en en en en en en en en		
	Make, Model and Brand	Any	C 22 C010 102 C02 2 C 2 X C02		
	Country of manufacturer	Any	a a caracaca ao sanas a ca		
	Talana Talana Ikua Talana	Single cylinder, 4-stroke diesel engine			
		Direct combustion type			
	Engine	Specific fuel consumption around 244 g/kw.h	9 . 8		
	1.1.1.2.75	Power output 12HP			
	The section of the se	Air cleaner oil bath type		100000000000000000000000000000000000000	April 1909 a serious modern .
	Clutch	Multiple plates, Dry disc			
	Brakes	Hand operated dry brakes	· · · · ·		
	No. of Gears	Forward-6, Reverse-2 (With high-low selector lever)			
3	Tilling width	Around 900 mm			8
	Number of rotary tiller blades	minimum 24			
	8. Ground Clearance	minimum 185 mm			
	Cooling system	Water or condense cooled			
	Fuel Tank Capacity	Minimum 15 Liters			
	Lubrication System	Combined pressure and splashing type			
	Minimum turning radius	1.3 meter			
	Starting method	Manual or Electric			
	Certification	Respective country verified certification		,	
	Color	Standard		2	
	Accessories	Toolbox			
	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
		one year for manufacturing defects			

		आर्थिक प्रस्तावन	i i		
5.N.	Name of Implements With Description	Technical Specification	Specification of proposed item	Price (Rs.)	Price( In words
	Thresher				
	Туре	4WD driven		8	
2	Matching power	tractor above 35HP	,		
	Working efficiency	>-1200kg/hr			
	Threshing efficiency	>-97%			
	Overall grain loss	<-2.5%			
	Broken grain loss	<-0.8%			
	Blown grain loss	<-1.5%			
	Crop feeding	direct hopper type			
	Feeding hopper size((+-5%))	670mm*595mm*680mm			
	Threshing drum	cylindrical rotor type in u shaped channel			
	Maximum RPM	750-800			
4	No of sieves	3			
********	No. of blower	one/double/trible		MATERIAL PROPERTY OF A 1990	er terci — samentari e mercera s
	No. of spike	75	a talence accommended and product of caption process.		
	Cleaning fan	1 aspiratory fan for grain clean and 1 centrigugal fan for dust clean			20
	Overall dimension(+-5%)	10'*4'*7'	# ++ #100 (H ##C X ) #7 (H0 H ##C X )	erar i rar e a a a a	
	Hopper height from plateform	930-945mm	The second secon		
12	Weight(approx.)	1450-1550kg	THE ACT TO SECURE		
	Strandard accessories	PTO shaft,tool box,greas gun	Market be 1900, W. 1900 Do . The William	,	
	Main shaft diameter	above 60mm	Note the Street of the Street		
	No. of transmission joint	4	UTA 45 TO THE R. D. VO. DR. D. SURHAR DR.		
	Accessories	Toolbox	E 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects	2   1   0   - 30   1000   10   15   17		
5	Paddle thresher	Motor/ PTO operated /manual, motor power:0.5-2 HP, cylindrical drum, with user manuals			
	Rotavator				
,	Size	5' or 6'			
	Model	any	Mental services on the contract of the contrac		
	Country of manufactured	any	venues in a sector		
	tractor power	>35 hp			
	gear box	single speed/ multispeed			
6	Transmission	Gearbox system	1. * (* 1. * 1. * 1. * 1. * 1. * 1. * 1.		
	PTO (RPM)	minmum 540/1000	60 (824 ) (1) (1) (2) (1) (1) (1)		
	Blade type	j,c and s type			
	No Of Blade	at least 540	1 × 40 × 0 × 1 × 14 × 10 × 10 × 10 × 10		
	Accessories	Toolbox			
	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			

S.N.	Name of Implements With Description	Technical Specification	Specification of proposed item	Price (Rs.)	Price( In words)
	Reaper (Power Tiller Drawn)				
	Make and Model (Brand)	Any		111 HORODOVANIE I	
	Country of manufacturer	Any			
	Power range	Power tiller of 12HP	·		
	Features	Paddy and wheat harvesting, front mounted conveyor reaper	es es un estade con el		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Type of cutting table	Standing typed			e e e e e e e e e
	Placing type	sidewise and banded placed			
7	Cutting width	minimum 1200 mm			
	Cutting height	minimum 50 mm			
	Type of cutting Unit	Cutter bar with serrated V shaped blade	ž.		
5.5	Crop divider	5 with star wheels			
	Certification	Respective country verified certification			
	Color	Standard	19 19 19 19 19 19 19 19 19 19 19 19 19 1		Tac
	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects			
8	Digital Balance	Digital display, weighing capacity at least 100 kg, non-corossive material, with user manuals		The state of the s	
	Battery sprayer	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	THE ASSESSMENT AND ASSESSMENT OF THE BURNE		
1.1	brand	any Caracas and	The second of th		
9	Battery	any 12V8AH,2KG	THE ASSESS OF THE PARTY OF THE PARTY.		
	Charger	1.0-1.2Amp		,	
	Chaff cutter		- 10 10 10 10 10 10 10 10 10 10 10 10 10		
	power source	electric motor			
	power	3-5 HP			
	no. of blaes	2			
	No. of spare blades	atleast 2			
10	machine feed	dry grass, fresh grass and straw			
	automation grade	automatic			
	cutting capacity	200-400kg/hr			
	material	iron			
	Accessories	Toolbox			
	Corn Sheller				
	Make and model	any			
	Power	at least 950 watt	-		
11	Motor	Aluminium or copper	1		
	Capacity	1000-1500kg/hr			
	Shaft Speed	1680 //min			
	Rotor Diameter	around 590mm			

		आर्थिक प्रस्तावन	π		
S.N.	Name of Implements With Description	Technical Specification	Specification of proposed item	Price (Rs.)	Price( In words
	Combined mill				
	Make and model	any			
	Power Source	at least 3HP			
	Motor	100% copper	,		
	voltage and frequency of motor	220volt,50Hz			
	Seive size	at least 100*749mm			
12	Seive Diameter	at least 250mm			et .
		Rice mill: at least150kg/hr			
	Capacity	Grain grinder: at least 130kg/hr			
	Roller Speed	Rice mill-at least 1500rev/min	*		
	Koller Speed	Grain Grinder-5500rev/min			
	Roller Diameter: rice mill	40mm			
	Types	Disc/Hammer types			-
/e	Reaper (Mini Tiller Drawn)		TO ARREST COME SOME MEMORY OF THE THE THE SECOND COME WHEN	AND RESIDENCE AND A SECOND SEC	A SEC. AND ADDRESS OF THE PARTY
	Make and Model (Brand)	Any			the framework of the
1.85	Country of manufacturer	Any		e. a 8. (	tangler it.
	Power	Mini tiller of 7HP	La Da Marco De Cara de La Cara de Cara	MAC TO JOST WILL THE MATERIAL	person retain out of a court on
	Features	Paddy and wheat harvesting, front mounted conveyor reaper	• • • • • • • • • • • • • • • • • • •		
	Type of cutting table	Standing typed	10 1 MAC 20 70 MC 2 D20 MC A F W C ON		
	Placing type	sidewise and banded placed		,	
13	Cutting width	minimum 1000 mm	er ii. M. v. ov. v	**	
	Cutting height	minimum 50 mm			
	Type of cutting Unit	Cutter bar with serrated V shaped blade	1 X 10 X		
	Crop divider	4 with star wheels			3
	Certification	Respective country verified certification			
	Color	Standard	(1986 1980) (4.8 o (1.9) (1.9) (1.9) (1.9) (1.9)		
	Warranty	Manufacturer shall provide warranty for at least one year for manufacturing defects	N-10-10-10-10-10-10-10-10-10-10-10-10-10-		
	Pellet Machine				a consider the format of the first of the fi
	Brand	Any	e wasconiera negati o na pao en la se sia a la	se la	
	Useage	Domestic	TO SHALL MADE AND	1,0	1
	operation	Powered			
	Power Source-	Electric Motor	was recorded a supply of the state of the supply of the		9
14	Selfet Pr	4KW-5.5 KW			
	Power	Copper motor	Scale 24 5 5 82 5 6 1		
	Volatge	220v/380v	CHARLES OF STREET		
13	Supply Phase	Single	ME NAME OF THE OWNER.		
	Capacity	at least 60 kg/hr	- Pri-10 Ay 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
	type of a diag thing	ने व देश हो।	## ## * 7.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2		

		आर्थिक प्रस्तावन	π		4 - 5
S.N.	Name of Implements With Description	Technical Specification	Specification of proposed item	Price (Rs.)	Price( In words)
	Land leveler	**************************************			
	Make and Model (Brand)	Any			
	Country of manufacturer	Any			
	Working Width	minimum 1850 mm			
	Power Required	40-50HP			e:
	Approx. Weight	minimum 140kg			-
15	Working Width	minimum 1800mm			140
	Main frame	minimum 8 mm Sheet 75 x 40 mm Channel			
	Side support	minimum 8mm	9 8 0 F 9 0 F		
	Blade height	minimum 75 mm	all or a water or o		
	Blade Thickness	minimum 10 mm	F		e e
	Accessories	Toolbox	900 (A.R)		
	Walk-behind rice transplanter	Walter Committee	W 29 V		
	Make, Model and Brand	any			
	Country of manufacturer	any	1 0 0 1 1 1 V		
	Engine type	any	ar y se van kaj a		
	Engine Power	at least 2.6/3000 Kw/rpm			
	type	Air cooling four-stroke			
	Working lines	4/6 lines			
	Working speed	0.34-0.77 m/s			
	Line distance	180-330mm			
16	seeding depth	15-35mm			,
	Working capacity	0.10-0.2 arce/ hour			
	paddy wheel	rubber wheel			
	drive style	shaft drive transmission			1
	Transplanting structure	crank rocker structure			,
	Certification	Respective country verified certification			
	Color	Standard			
नेपान	Accessories	Toolbox			
भा पश्	Warranty 7	Manufacturer shall provide warranty for at least one year for manufacturing defects			

मार्थि उल्लेख गरिएको बिवरण कार्यालयले सुचनामा तोके अनुसारको Specification का कृषि यन्त्र तथा उपकरणहरु कार्यालयलाई आवश्यक परिमाण र उल्लेखित दरमा चालु आ.व. २०७९/८०को अवधिभरको लागि परियोजनाको कार्यक्षेत्रसम्म ढुवानी सहित आपुर्ति गर्न मञ्जुर छु/ छुँ। फरक परेमा कानुन बमोजिम सहुला बुझाउला।

आपूर्तिकर्ताको विवरण

फर्म/कम्पनीको नाम:

छाप;

प्रोपाइटरको नाम:

दस्तखतः

मो. नः