प्यान नं. ६००७८७४७७ ्द.नं. ४३१/०६९/०७०

श्री बागवानी कृषि सहकारी संस्था लिं लिखु-४, बगैचा, नुवाकोट स्थापनाः २०६९

प.स. २०८०/०८१ सु.नं.

क्याटलग सपिङ्ग विधिबाट कृषि यन्त्र उपकरण खरिद गर्ने सम्बन्धि ७ (सात) दिने सूचना

प्रथम पटक प्रकाशित मितिः२०८१/०२/०७

यस सहकारी र प्रधानमन्त्री कृषि आधुनिकीकरण परियोजना, परियोजना कार्यान्वयन एकाइ, नुवाकोट बिच भएको अनुदान सम्झौता बमोजिम कष्टम हायरिङ सेन्टर संचालन प्रयोजनको लागि किल्टिभेटर, रोटाभेटर, र मिल्टिकप थ्रेसर सिहतको 2WD/4WD ट्रयाक्टर खरिद गर्नु पर्ने भएकोले सार्वजिनक खरिद ऐन २०६३ (पिहलो संसोधन २०७३) को दफा द र सार्वजिनक खरिद नियमावली २०६४ को नियम ३१ (ख) उपनियम (२) बमोजिम त्यस्तो साधन उत्पादक कम्पनी वा सो को आधिकारिक बिकेताहरु बीच मात्र प्रतिस्पर्धा गराउने (क्याटलग सिपेड) विधिबाट खरिद गर्नु पर्ने भएकोले नियमानुसार उक्त कृषि यन्त्र उपकरण बिकी गर्न चाहने उत्पादक वा अधिकृत विकेताले आआपनो उत्पादनको अधिकारिक स्पेसिफिफिकेसन, गुणस्तर, मूल्य र सुविधा सिहतको विवरण (क्याटलग वा ब्रोसर) तथा तपिसल अनुसारका कागजात संलग्न राखी यो सूचना प्रकासन भएको मितिले ७ (सात) दिन भित्र कार्यालय समयमा यस सहकारीमा निवेदन दर्ता गर्नु हुन यो सुचना प्रकासन गरिएको छ । दर्ता हुन आएका निवेदनहरु सूचना प्रकासन भएको मितिले आठौं दिन (मिति २०६१।०२।१४) गते खोलिने छ । विस्तृत सूचना, जानकारी तथा प्राविधिक स्पेसिफिकेसनका लागि यस सहकारीको कार्यालय लिखु गाउँपालिका ४ चौघडा नुवाकोट वा www.piunuwakot.pmamp.gov.np वा मोवाइल नं ९८६३६९६१६३ मा सम्पर्क गर्न सक्नु हुनेछ ।

निवेदनसाथ पेश गर्नुपर्ने कागजातहरुः

- नेपाल सरकारको मान्यता प्राप्त निकायबाट प्राप्त विकि अनुमित-पत्र
- २. मुल्य अभिवृद्धि कर दर्ता प्रमाण-पत्र
- ३. आ.व. २०७९/८० को कर चुक्ता प्रमाण पत्र
- ४. एजेन्सी दर्ता प्रमाणपत्र र Letter of Authorization
- ५. यस सुचनामा उल्लेख हुन छुटेका अन्य कुराहरु प्रचलित कानुन बमोजिम हुनेछ।

टुक प्रसाद भट्ट

अध्यक्ष

बागवानी कृषि सहकारी संस्था लि.


Tractor

	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED
			SPECIFICATION
1	General	It is suitable at an altitude up to 3000 meter and in	Make:
		ambient temperature between -15°C to 50°C. Gross weight of the Power tractor shall not be less than 1975	Model:
		kgs without Rotavator.	Country of Origin:
			Country of Origin.
2	Engine	4 Stroke Water Cooled Diesel Engine, developing rated	Make:
		Power Output not less than 45hp and torque not less	Model:
		than 195 Nm at governed rpm.	
3	Transmission	Manual shift, at least six forward and one reverse, with	
		PTO .	
4	Steering	Hydraulic/Power steering	
			,
5	clutch	Duel	
6	Break	Hydraulic operated	
7	Dimension	Minimum Length -3400mm	
	2	Minimum Width -1700mm	
		Minimum Wheel base- 1950mm	
8	Fuel tank capacity	Not less than 50 lts	
9	Tyres	Standard Size	
10	Ground clearance	Not Less Than 400mm .	
10	Ground cicarance	Not less man 400mm.	
11	Digging control	Automatic deft and draft control	
12	lifting parallity	1600 km	
12	Lifting capacity	1600 kg	
13	Chassis and Frame	Steel, frame structure suitable for Operation	



14	Instructions	All signs and instructions in the vehicle shall be in English.
15	Manuals	One copy of the Owner's Manual in English shall be supplied with vehicle.
16	Tools	A set of tools, with a tool bag, as required for general maintenance shall be supplied with vehicle.
17	Color	Standard
18	Warranty	Manufacturer shall provide a minimum of 2 years warranty after acceptance.
19	Delivery	Power Tiller 1 unit shall be delivered to : Prime Minister Agriculture Modernization Project, Bidur, Nuwakot.

NOTE: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.



Rotavator

	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION
1	General	It is suitable for farming with multi speed chain drive and gross weight of the rotavator shall not be less than 400 kg.	Make: Model: Country of Origin:
2	Tilling Depth	Minimum 100 mm.	
3	Blades	Minimum 40 pcs	
4	Rotavator Shaft Speed	Not Less than 500 rpm	
5	Size	1650mm	

NOTE: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.





Cultivator

	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION
1	General	It is suitable for farming with three point linkage and gross weight of the cultivator shall not be less than 275 kg.	Make: Model: Country of Origin:
2	Tyne dimension	Minimum 50*25mm	
3	tynes	Minimum 18 pcs	
4	Rotavator Shaft Speed	Not Less than 500 rpm	
5	Frame Dimension	heavy duty minimum 100*50mm	J

NOTE: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.



Rice, Wheat and Millet (Multi Crop) Thresher

1 Unit

	CRITERIA	t (Multi Crop) Thresher DEPARTMENTAL REQUIREMENT	OFFERED SPECIFICATION
	General	It is drum type for efficient threshing and suitable for transport in hilly area Gross Weight of the Rice, Wheat and Millet (Multi crop) Thresher shall not be less than 1300 kg. driven by above 35 hp Tractor PTO	
2	cylinder	Minimum 28 bars teeth	-
3	Roller Speed	Not less than 700 RPM	
4	Blower Speed	fixed	
5	No of blower	three	
8	No of spike	Minimum 52	
9	sieves	two	
10	Productivity	Threshing wheat not less than 1500 kg per hour Threshing rice not less than 2000 kg per hour Threshing Millet not less than 2000 kg per hour	
11	Winnower	After threshing particles, the crop is clean, without impurities	
12	Chassis and Frame	Mild Steel, frame structure suitable for Operation	
13	Instructions	All signs and instructions in the vehicle shall be i English.	
14	Manuals	One copy of the Owner's Manual in English shall be supplied with vehicle.	
15	Tools	A set of tools, with a tool bag, as required for general maintenance shall be supplied with vehicle.	aı
16	Delivery	Rice and Wheat (Multi crop) Thresher unit shall to delivered to : Prime Minister Agricultu Modernization Project, Bidur, Nuwakot	

NOTE: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.



Shresina shresina